Sakai - OpenSource consumer.


How Sakai works with Open Source projects

Dr Ian Boston CTO, Caret, University of Cambridge Sakai3 lead Apache Shindig PPMC Member Apache Sling PMC Member

What is Sakai ?

Community Developers Educators Researchers Higher Ed Production VLE/VRE Global, 161 installations Scalable, 100 - 200K users

Open Source Sakai Foundation (501c) ECL2 (Apache2 like) 90% Java 50 - 60 core committers



Libraries and IP


Governance License Clearance Library Selection Committer Clearance CCLA CLA

v2 Libraries Apache Commons Apache Tomcat

Lessons for V2

Someone else has probably written a better implementation already

Code is not the only thing that matters



Sakai 3


Only own what we have to Write less, keep it simple Select on community, license then code

Engage, contribute, influence

OpenSocial

Developer Day2009

Campfire Announcement 11/2007 I,000s of Developers App Portability Fantastic UX



Large Reach

Over 800M in a year – and more to come!

Ist Birthday 05/2009 800M users 315M app installs



Sakai Early 2008

Institutional

Achademic Social Networking

Federation/Integration

Gen Y/Z

Technical

Web NG UX Driven App Community

Apache Shindig

OpenSocial RI

Incubator

Code donated to the Incubator Growing Community Mainly Google

No Container Unclear SPI

In production





Read and Understand Ask questions, listen Patch, bug fix

> Trust Read and Understand Ask questions, listen Patch, bug fix

Commit to taking eternal responsibility for every line of code you commit.

Community Frustrations

"The code is ugly an broken, I wouldn't do it like that"

"It doesn't address my use cases"

"My patches keep breaking and they won't take them." explain, educate, help, support, joke, show humility, no arrogance, present evidence

Committer Pain

"I have a life, I volunteered"

"I don't have time to read I0 paragraphs and try and work out what is being said"

"Not that question yet again"

"I cant take responsibility for THAT! (WTF)"

explain, educate, help, support, joke, show humility, no arrogance, present evidence

Apache Invitation

- Trust builds, volume of patches, contributions
- Private PMC Vote or PPMC + IPMC
- Invite, Accept
- Legals
- Commit access

What then.

- Commit what you like No
- Nothing changes except your name appears on "svn blame" - Yes
- When the build breaks at the weekend... you feel like you should fix it - Yes

Apache Sling

Enterprise Content Management Web app framework

The name "Sling" has been proposed by Roy Fielding who explained it like this:


[The name is] Biblical in nature. The story of David: the weapon he uses to slay the giant Goliath is a sling. Hence, our David's [David Nuescheler, CTO of Day Software] favorite weapon.



Sakai 3 Educational Content Management


50% Enterprise Content Management Use Cases 50% Educational Use Cases everyone is an editor groups educational apps integration UI/UX

> 50% Sling 50% Sakai



Code Coverage

// same place



?

ΚI

22.5


0

Sakai 2.6

		target = elements[0];				
		<pre>target = String.valueOf(target);</pre>				
	,	MessageDigest md = MessageDigest.getInstance("SH	A-1");			
		<pre>pyte[] userHash = md.digest(target.getBytes("UTF</pre>	-8"));			
		char[] chars = new char[(absPath ? 1 : 0) + leve	1s * 3 + tarae	t length()		
		+ pathInfo.length()];	to 5 + carge	c. congeney		
		int j = 0;				
		if (absPath) {				<u> </u>
1. A.B.		chars[j++] = '/';				×
		1				1
	Problems	🕢 Tasks 🔲 Properties 👫 Servers 🙀 Data Source Exploi	r 🔁 Sninnets 🔳	Console 🔭 Call Hie	rarchy 🕞 Coverage 🕅	Search 🗏 Pack
Contraction of the second		09 12:42:14 PM)	in simplets i	e consore 10° can rile	coverage a	- Jearch - Pack
		07 12.42.14 FM)				
	Element		Coverage	Covered Instructions	Total Instructions	
		JcrUtils.java	46.4 %	103	222	
and the second se		MapUtils.java	94.0 %	47	50	
		PathUtils.java	92.0 %	549	597	
		O PathUtils	92.0 %	549	597	
		getDatePath(String, int)	100.0 %	30	30	
10.000		getHashedPath(String, int)	— 100.0 %	5	5	
		getMessagePath()	— 100.0 %	23	23	
and the second se		getNodePathParts(String)	— 100.0 %	68	68	
COLORADO DE COL		getParentReference(String)	100.0 %	49	49	
		getStructuredHash(String, int, boolean)	91.0 %	152	167	
		getUserPrefix(String, int)	— 100.0 %	14	14	
		S lastElement(String)	— 100.0 %	35	35	
Constant of the second s		normalizePath(String)	100.0 %	75	75	
		removeFirstElement(String)	— 100.0 %	50	50	
		S removeLastElement(String)	— 100.0 %	44	44	
		StolnternalHashedPath(String, String, String)	- 0.0 %	0	30	
		ResourceLoader.java	0.0 %	0	174	
		P ResourceLoader.java	- 00 X	0	174	
		Of tointernalitashedPath(String, String, String)	×0.0	ő	20	
K2 Apach	e Code 💷	removeLastDement(String) d removeLastDement(String) d removeLastDement(String)	100'0 ×	**	10	
, paen			100'0 %			

🔛 org.sakaiproject.kernel.utils 🕨 进 src/main/java 🕨 🌐 org.sakaiproject.kernel.util 🕨 🕒 PathUtils 🕨

String[] elements = StringUtils.split(target, '/', 1); String pathInfo = removeFirstElement(target);



Architecture

HTTP REST + JSON

